

NEW



BIHUI

www.bihuitools.com

New Products Catalog 2026 V1.0

BIHUI


CE



Electric Vacuum Suction Cup

- ▶ Max. lifting capacity: 200KG(441lbs)
- ▶ Automatic air replenishment below 160KG
- ▶ Powered by 21V-2Ah lithium-ion battery
- ▶ Smart sensor monitor maintains optimum suction
- ▶ Double layer pad for smooth surfaces
- ▶ Additional pad specifically for textured items

Art.No	Battery	Vertical Capacity	Horizontal Capacity	
LFBSL	21V/2Ah	200Kg	80Kg	290 x 150mm
LFBSL-RUB		Pad for smooth surfaces		290 x 150mm
LFBSL-TXP		Pad for texture surfaces		290 x 150mm
BP21-BAT2.0	21V/2Ah	-	-	-



BPTT
Battery Powered Tiling Tools

Battery Powered Tiling Tools



200Kg(441lbs)



80Kg(176lbs)



CE Battery Slim Suction Cup

- ▶ Max. lifting capacity: 120KG(265lbs)
- ▶ Automatic air replenishment below 90KG
- ▶ Powered by 3.7V-3.2Ah lithium-ion battery
- ▶ Perfect for floor laying min. width 100mm
- ▶ Iron taping connectors on both sides for gap adjustment
- ▶ Suitable for both smooth and texture surfaces

Art.No	Size	Data	Lifting Capacity
SCBLVT	240x100x95mm	3.7V - 3.2Ah	120Kg(265lbs)



CE Battery Vacuum Suction Cup

- ▶ Max. lifting capacity: 160KG(353lbs)
- ▶ Automatic air replenishment below 120KG
- ▶ Powered by 3.7V-3.2Ah lithium-ion battery
- ▶ Feature with double monitoring system, digital display and pressure gauge
- ▶ Dual rubber and extra rubber ring guarantee superior sealing
- ▶ Suitable for both smooth and texture surfaces

Art.No	Size	Data	Lifting Capacity
SCBC8	200mm 8"	3.7V - 3.2Ah	160Kg(353lbs)



CE Battery Oval Suction Cup

- ▶ Max. lifting capacity: 200KG(353lbs)
- ▶ Automatic air replenishment below 160KG
- ▶ Powered by 3.7V-3.2Ah lithium-ion battery
- ▶ Dual rubber and extra rubber ring guarantee superior sealing
- ▶ Suitable for both smooth and texture surfaces

Art.No	Size	Data	Lifting Capacity
SCBC9	245x160x95mm	3.7V - 3.2Ah	200gKg(353lbs)



Manual Vacuum Suction Cup

- ▶ Vertical lifting capacity: 150KG(330lbs)
- ▶ Horizontal lifting capacity: 110KG(242lbs)
- ▶ Plastic handle, rubber base with air release buckle
- ▶ Suitable for both smooth and texture surfaces

Art.No	Size	Lifting Capacity
SCVE9	245x165mm	150gKg(330lbs)





Sintered Diamond Cutting Blade

- Precise and clean cuts to tight area
- For use with BIHUI mini angle grinder
- Perfect for cutting ceramic, porcelian and marble etc.

Art.No						
AGMBS45	45mm	1-3/4"	6mm	0.6mm	19.5mm	



Sintered Diamond Cutting Blade

- Precise and clean cuts to tight area
- With reinforced steel body
- For use with BIHUI mini angle grinder
- Suitable for cutting porcelain tiles, ceramic tiles, slim slab etc.

Art.No						
AGMBC50	50mm	2"	6mm	0.7mm	10mm	



Vacuum Brazed Diamond Cutting Blade

- Precise and clean cuts to tight area
- For use with BIHUI mini angle grinder
- Perfect for cutting ceramic, porcelian and marble etc.


Art.No						
AGMBV50	50mm	2"	6mm	1.0mm	6mm	



Velcro Polishing Pad Holder

- Velcro connection to mini polishing pads
- Built-in thread connection
- With extension rod Ø3x30mm

Art.No			
AGMPH2	50mm	2"	



Mini Electroplated polishing pad

- Use with Velcro Polishing Pad Holder
- Efficient polishing with electroplated diamond
- Ideal for polishing ceramic, porcelian and marble etc.

Art.No	Grit	Art.No	Grit	
AGMEP1	#60	AGMEP3	#200	
AGMEP2	#120	AGMEP4	#400	



Mini Dry Polishing Pad

- 50mmx Ø 6
- Use with Velcro Polishing Pad Holder
- Ideal for polishing white and light color ceramic, porcelian and marble etc.

Art.No	Grit	Art.No	Grit	
AGMPD1	#50	AGMPD5	#800	
AGMPD2	#100	AGMPD6	#1500	
AGMPD3	#200	AGMPD7	#3000	
AGMPD4	#400	-	-	



Mini Wet Polishing Pad

- 50mmx Ø 6
- Use with Velcro Polishing Pad Holder
- Ideal for polishing white and light color ceramic, porcelian and marble etc.


Art.No	Grit	Art.No	Grit	
AGMPW1	#50	AGMPW5	#800	
AGMPW2	#100	AGMPW6	#1500	
AGMPW3	#200	AGMPW7	#3000	
AGMPW4	#400	-	-	





Diamond Grinding Flap Wheel

- Made of durable plastic backing
- Smooth finish with no chipping
- Adaptor for converting M5 into 10mm bore
- Suitable for smoothing, grinding, shaping porcelain, ceramic, glass, stone etc.



Art.No				Grit	
AGMF60	50mm	2"	10mm	#60	
AGMF120	50mm	2"	10mm	#120	
AGMF200	50mm	2"	10mm	#200	
AGMF400	50mm	2"	10mm	#400	



Precision Sintered Diamond Drill Bit

- Precise smoothing edges to tight area
- Connection rod $\Phi 3$ to BIHUI mini angle grinder
- Perfect for grinding ceramic, porcelian and marble etc.



Art.No	Total Length	Diamond Length	QTY	
AGMMT12	70mm	30mm	3pcs	
AGMMT15	70mm	30mm	3pcs	
AGMMT18	70mm	30mm	3pcs	



Sintered diamond drill bit

- Create smooth, chip-free holes
- Perfect for installing buttons and sockets
- Compatible with most standard drill machines
- Suitable for ceramic, porcelain and stone tiles



Art.No	Diameter	Art.No	Diameter	
DBDH06	$\Phi 6$ mm	DBDH58	$\Phi 58$ mm	
DBDH08	$\Phi 8$ mm	DBDH60	$\Phi 60$ mm	
DBDH35	$\Phi 35$ mm	DBDH70	$\Phi 70$ mm	
DBDH40	$\Phi 40$ mm	DBDH90	$\Phi 90$ mm	



Mini Saw Rail Bracket

- Compatible with 2" mini saw and rail system LFRS5
- Stainless steel bearings ensure precise cutting straightness
- Adjustable cutting height facilitates grooving in the middle position 0-10mm
- Equipped with a water spray protective cover for dust-free cutting



Art.No	Size	
AGMNCS	200x160x100mm	8"x6-3/8"x4"mm




2L Water Cooling System

- Battery powered, automatic water supply
- PVC transparent hose Length: 1.6M
- Nylon protective cover to prevent water splashing
- Designed for wet cutting applications



Art.No	Battery Model	Data	Capacity
AGCS2L	18650	3.7V - 2Ah	2L






Mini BIHUI Cutting Blade

- ▶ Blade thickness: 1mm
- ▶ Precise and clean cuts to tight area
- ▶ For use with BIHUI 3" mini angle grinder
- ▶ Suitable for cutting hard tile, porcelain tiles, ceramic tiles, etc.

Art.No						
AGMN76-BB	76mm	3"	10mm	1.0mm	6.5mm	



Mini Continuous Cutting Blade

- ▶ Blade thickness: 0.8mm
- ▶ Precise and clean cuts to tight area
- ▶ With reinforced steel body
- ▶ For use with BIHUI 3" mini angle grinder
- ▶ Suitable for cutting porcelain tiles, ceramic tiles, stone, etc.

Art.No						
AGMN76-BC	76mm	3"	10mm	0.8mm	6.5mm	



Vacuum Brazed Cutting Blade

- ▶ Body thickness: 1.6mm
- ▶ All-in-one tool for fast, aggressive cutting and grinding
- ▶ Designed for cutting tiles, metal pipe, PVC pipe etc.

Art.No						
DCWMB5	125mm	5"	22.23mm	3mm		



Cutting Dust Extractor

- ▶ Suitable for cutting disc in 115mm and 125mm
- ▶ Universal rubber adaptor diam. 25-35mm
- ▶ Comes with Ø8 water spray for wet cutting
- ▶ Compatible with most standard angle grinder
- ▶ Perfect for extracting dust during cutting

Art.No	Size		
DCF5	115-125mm	4-1/2"x5"	



B-PERFECT Diamond Cutting Blade

- ▶ Blade thickness 1.2mm
- ▶ Super narrow teeth for less dust and faster cuts
- ▶ With reinforced central bore
- ▶ Suitable for cutting Porcelain tiles, Ceramic tiles, Slim Slab etc.

Art.No						
DCBN5X8	125mm	5"	22.23mm	10mm		







B-SPEEDY Diamond Cutting Blade

- ▶ Blade thickness 1.2mm
- ▶ Mesh teeth for less dust and faster cuts
- ▶ With reinforced central bore
- ▶ Suitable for cutting Porcelain tiles, Ceramic tiles, Slim Slab etc.

Art.No						
DCDMX8	125mm	5"	22.23mm	10mm		

8PCS
TRADE
SAVE
KIT





Folding Work Stand Table 2.0


- Quick extension and folding in seconds
- Multi-functional plastic supports for crossbar
- Compatible with Multifunction Folding Support Worktop
- Adjustable knob base, height adjustable by 40mm
- Mounting hooks for placing guide rails and other tools
- Secure straps and double casters for easy movement
- Perfect for large format tiles on site cutting, drilling and polishing
- Tool bag included

Art.No	Opening Dimension		Folded Dimension		Loading Capacity
LFFB	220x115x82cm	87"x43"x29.5"	98x44x33cm	38"x17"x12"	1000kg (2205lbs)
LFFW	220x115x82cm	87"x43"x29.5"	98x44x33cm	38"x17"x12"	1000kg (2205lbs)

Art.No	Description	Qty
LFFB-CB	Crossbar	12



with crossbar
without crossbar




Multifunction Folding Support Worktop

- Supports tiles up to 600x600mm (24" x 24")
- Made of durable plastic base and replaceable rubber tops
- Easy to clean, to change, to fold and to storage
- Compatible with Folding Work Stand Table 2.0
- Designed for drilling, cutting, adhesion and daily tiler's jobs
- Use more units to support larger tiles.
- Tool bag included

Art.No	Open	Folded	Lifting Capacity
LFFM	600x600x75mm	600x300x150mm	100kg (220lbs)





Mitre Jolly Guide System with M14 Spindle

- ▶ M14 spindle with universal fitting
- ▶ Visible Cutting angle 48°
- ▶ Max. cutting thickness 22mm
- ▶ Cutting blade in Ø125mm
- ▶ Upright support for cutting min. 50mm tiles
- ▶ Made of stainless steel with cushion stripe
- ▶ Universal rubber adaptor Ø25-35mm

Art.No				Compatible	Bevel Angle
LFMBU	125mm	5°	22.23mm	M14	48°

Automatic Tile Marker

- ▶ Comes with belt clip
- ▶ Built-in lead sharpener
- ▶ BS and stainless steel materials
- ▶ Six interchangeable spare leads in black, red and yellow
- ▶ Suitable for marking on most surfaces including tile, glass, metal etc.

Art.No	Size	Diameter
TMK7	180mm	7" Ø2.8mm
TMK7-BP	180mm	7" Ø2.8mm



14L Bucket Liner

- ▶ Soft and durable silicone material
- ▶ Easy to clean and reusable
- ▶ Suitable for 14L(3.5 gallon) mixing bucket

Art.No	Capacity	
MPBL14	14L	3.5 gallon



20L Multifunctional Bucket

- ▶ Made from 100% raw materials
- ▶ Comes with a lid and steel handle
- ▶ Compatible with BIHUI 20L bucket liner
- ▶ Designed for mixing tile adhesive, grout, plaster, cement


Art.No	Capacity	Mixing Capacity
MPBK20	20L	5 gallon 40Kg(99lbs)



10L Stackable Plastic Bucket

- ▶ Made of transparent PP material
- ▶ Mold with built-in measuring guide
- ▶ Stackable lids and flexible handle
- ▶ Unique wall-mounting hole design
- ▶ Comes with a separator for levelling system

Art.No	Size	Capacity
BLS-BKT	348*254*222mm	14"x10"x8-5/8" 10L





X-format Carrier System

- ▶ Max.capacity: 3.2x1.6M large format tile
- ▶ Max.Lifting Capacity:200Kg(441 lbs)
- ▶ X main frame max.340x130cm and min. 210x45cm
- ▶ Including with 5 pieces of 8" battery suction cups(SCBC8)
- ▶ Battery 26500-3.7V-3200mAh
- ▶ Quick suction cup replacement structure
- ▶ Soft grip handle x 4 pieces
- ▶ Lightweight, safe, and easy to transport and operation

Art.No	Size	Description
LFCSB-5X	2.1M	X-Frame
LFCSB-5C	200mm(8")	Suction cup x5



King Tile Cutter

- ▶ Linear robust guide system
- ▶ Wide aluminum alloy base
- ▶ Rotary adjustable front ruler for multi-angle cutting
- ▶ Foldable side ruler for easy storage on both sides
- ▶ Innovative triangular side guide for cutting 2cm narrow strips
- ▶ With green laser and magnetic breaking device
- ▶ Scoring Wheel in Ø22x6x6mm
- ▶ Anti-slip and height adjustment handle
- ▶ Integrated casters and carry handle

Art.No	Cutting Length		Diagonal Cutting Length(mm)	Cutting Thickness (mm)	Breaking force (kg)
TCK850	850	33-1/2"	600 x 600	3 - 20	1000
TCK1300	1300	51"	900 x 900	3 - 20	1000
TCK1600	1600	63"	1130 x 1130	3 - 20	1000





PROTECTION FOR YOUR CRAFT



Calling



FM Radio



DAB+



20 Preset Radio Stations

Dab +FM antenna



LCD display

Memory function

Aux jack

Volumn control knob

Turning button

On/off button




Durable ABS shells



Adjustable band



PU Soft padding



Type C

Input



Li-ion
Capacity
2,000mAh




S/M/L



Bluetooth
5.4

Range of Size	H-122 W-15S/M/L							
Sound Attenuation	SNR=31dB							
Sound Attenuation	H-35(dB), M-28(dB), L-22(dB)							
Frequency(HZ)	125	250	500	1000	2000	4000	8000	
Mean Attenuation(DB)	18.5	21.4	28.2	34.8	35.6	46.5	41.6	
Standard Deviation	3.0	2.6	2.4	3.5	3.5	3.9	3.9	



Bluetooth Hearing Protection Earmuffs

- ▶ Bluetooth 5.4 wireless technology for making phone calls and listen to music
- ▶ Featuring with DAB and FM radios
- ▶ Preset 20 radio station
- ▶ LCD digital screen
- ▶ Adjustable band and comfortable earcups
- ▶ USB-C type charging port

Art.No	Battery	SNR
FTPEMB	2000mAh	31dB



Professional Hearing Protection Earmuffs

- ▶ Breathable and comfortable earcups
- ▶ Adjustable band and minimum storage size

Art.No	SNR
FTPEMP	33dB



Banded Earplugs

- ▶ Made of soft PU foam
- ▶ Replaceable earplugs
- ▶ Multiple wearing positions

Art.No	SNR
FTPEPB	27dB



Corded Earplugs

- ▶ Made of soft PU foam
- ▶ Maximum noise cancellation

Art.No	SNR	Qty
FTPEPW	38dB	50pcs



Protective Safety Goggles

- ▶ Soft PVC protective cover seals tightly against the face
- ▶ Impact-resistant PC lenses
- ▶ Compatible with regular prescription glasses

Art.No	Protection Level
FTPSSG	1-M D



Clear Safety Glasses

- ▶ High optical clarity
- ▶ Impact-resistant PC lens
- ▶ Scratch-resistant and anti-fog coating
- ▶ Effective UV protection 280nm-400nm

Art.No	Protection Level
FTPSSG1	GL0 CT HMT K N



Grey Safety Glasses

- ▶ Suitable for extended outdoor wear
- ▶ Impact-resistant PC lenses
- ▶ Scratch-resistant and anti-fog coating
- ▶ Effective UV protection 280nm-400nm

Art.No	Protection Level
FTPSSG2	GL3 CT HMT KN



Foldable Protective Mask

- ▶ Minimum filtration efficiency 94%
- ▶ Adjustable nose clip
- ▶ Patented foldable design

Art.No	Protection Level	Qty
FTMP2	FFP2	20pcs



Foldable Protective Mask with Valve

- ▶ Minimum filtration efficiency 99%
- ▶ Adjustable nose clip
- ▶ One-way valve for easy exhalation
- ▶ Patented foldable design

Art.No	Protection Level	Qty
FTMP2	FFP2	10pcs



Protective Mask with Valve

- ▶ Minimum filtration efficiency 99%
- ▶ Adjustable nose clip
- ▶ One-way valve for easy exhalation

Art.No	Protection Level	Qty
FTMP3	FFP3	10pcs



PVC nose bridge




Lightweight wraparound frame



Thermoplastic Rubber temples

PC lenses



One-way ABS valve

Nose piece

PVC foam + Soft sealing clip



3D nose area

Four-point adjustable elastic band





TPR Knee Pad

- Made of PP+TPR material
- Waterproof and non-slip
- Flatter bottom for greater stability
- Tear-resistant straps
- Larger gel core reduces impact on the knees

Art.No	Size
FTPKPB	Universal



NBR Knee Pad

- NBR Foam Pad Material
- Waterproof, dirt-resistant, anti-static
- Heat-insulating and cold-insulating

Art.No	Size	
FTPKPL	465x363x40mm	18"x14"x1-5/8"



Disposable Nitrile Protective Gloves

- Improved nitrile rubber synthetic formula
- Textured fingertips for enhanced slip resistance
- Provides protection against various chemicals
- Latex-free and powder-free

Art.No	Size	Thickness	Qty
FTPGNM	M	3-6mil	100pcs
FTPGNL	L	3-6mil	100pcs
FTPGNXL	XL	3-6mil	100pcs



Helmet with Passive Earmuffs

- ABS Helmet with breathable sealing protection
- Comfortable and replaceable ear cups
- Adjustable band and 360 degree swiveling
- Convenient snap-on adapter system

Art.No	SNR
FTPHLM	23.4dB



Half Mask Respirator

- Streamlined body, ergonomically designed
- Made of silicone, offering high comfort
- Suitable for various scenarios, especially for organic gas protection

Art.No	Description	Standard
FTPKPR	Respirator Body	EN140:1998
FTPKPF	Air Filter Pad	EN143:2001 P3 R
FTPKPV	Organic Gas Filter	EN14387:2021 A1
FTPKPC	Gas Filter Cover	-

Art.No	Facial Size	Standard
FTPKP3	132.5-158.5mm 108.5-138.5mm	EN14387 - A1P3 R



Disposable Protective Clothing

- Made of PE microporous membrane and PP non-woven fabric
- Double-ended zipper, tri-fold cap design, triangular crotch fork
- Lightweight, breathable materials for extended wear.
- Protects against particles (Type 5), light liquid splashes (Type 6), dust, dirt, and biological hazards.

Art.No	Size	Reference Height(cm)
FTPCS	S	164-170
FTPCM	M	170-176
FTPCL	L	176-182
FTPCXL	XL	182-188
FTPC2XL	2XL	188-194

